

 This Is Our Economical Model For Metal Cutting. Low Wastage, Optimum Blade Life, Low Power Consumption, Safe And Easy To Operate. It Has A Robust And Compact Structure, Which Is Heavily Faricated



MODEL		HB-220EC0		
SPECIFICATIONS		ROUND	SQUARE	
Cutting Capacity	Mm	220	180 x 180	
Blade Dimension	Mm	2540 x 0.9 x 27		
Blade Speed	M/Min	25-40		
Weight	Kg	300		
Machine Dimension	Mm	1650 x 74		
Main Motor Power	Нр	1 Hp, 1440 R.P.M		
Coolant Motor Power	Нр	0.10, 2800 rpm		
Coolant Tank Capacity	Ltr	30		
Coolant Motor	Kw	0.09		

**ALL SIZES AVAILABLE** 

## SEMI AUTOMATIC BANDSAW MACHINE (MITRE CUTTING)

This Is a Latest Design Machine Having Hydraulic Job Clamping. Hydraulic Down Feeding and Lifting of Frame after Cut, very Robust Structure having Cast iron Bed, very Safe and easy to operate with inbuilt miter Cut Feature that makes it easy to Cut any Degree on Pipe, Flat, Rod or Tubes.



MODEL			HB-300 S			
SPECIFCATIONS			ROUND	RECTANGLE	SQUARE	
0°	Mm		220	280 x 190	220 x 220	
45°	Mm		200	200 x 120	190 x 190	
60°	Mm		150	140 x 100	120 x120	
Blade Dimension	Mm		2910x0.9x27			
Blade Speed	M/Mi	n	35 - 70			
Weight	Kg		550			
Main Motor Power	Kw		1.5 ( 2 Speed)			
Emulsion Tank	L		35			
Dimensions	Mm	X A	1540x740x1400			
Hydraulic Vice Stroke	Mm		300			
Hydraulic Motor	Нр		0.5			
Coolant Motor	Нр		0.10			
Standard Supply With Machine	Unit		01 Bimetal Blade,01 Chip Cleaning Brush, Operating Manual, Electrical and Hydraulic Circuit Diagram			

ALL SIZES AVAILABLE